

Pürblack Inc.
41877 Enterprise Circle N.,
Temecula, CA, 92590
purblack.com

CERTIFICATE OF ANALYSIS

PÜRBLACK LIVE RESIN

Date reported: 2 December, 2025

Batch number: 00034

Product name: Muscle+

SAFETY ANALYSIS

HEAVY METALS:

ANALYTE	UNITS	NORM	RESULT	NORMATIVE DOCUMENTATION FOR THE TEST
Lead	PPM	≤ 1 PPM	COMPLIES	PB 3018000
Arsenic	PPM	≤ 0.1 PPM	COMPLIES	PB 3018000
Cadmium	PPM	≤ 0.1 PPM	COMPLIES	PB 3018000
Mercury	PPM	≤ 0.03 PPM	NOT DETECTED	PB 3018000

MICROBIOLOGICAL ANALYSIS:

ANALYTE	UNITS	NORM	RESULT	NORMATIVE DOCUMENTATION FOR THE TEST
Standard Plate Count	CFU/g	1*10**4	Less than 10	PB 10445.1000
Escherichia coli	CFU/g	0	Not found	PB 10445.1000
Pathogens incl. Salmonella	CFU/g	0	Not found	PB 10445.1000
Staphylococcus Aureus	CFU/g	0	Not found	PB 10445.1000

AUTHENTICITY ANALYSIS:

ANALYTE	UNITS	NORM	RESULT	NORMATIVE DOCUMENTATION FOR THE TEST
L-Leucine	%	44.0-54.0	48.1	PB 10444.2000
L-Valine	%	27.0-27.5	24.0	PB 10444.2000
L-Isoleucine	%	21.0-27.5	24.0	PB 10444.2000

Bulk Density	g/ml	≥ 0.35	0.55	PB 10444.2000
Loss on Drying	%	≤ 2.0	0.30	PB 10444.2000
Residue on Ignition	%	≤ 1	0.05	PB 10444.2000
IPH AGAA (from natural source)	%	≤ 5.0	5.0	PB 10444.2009