

Pürblack Inc.
41877 Enterprise Circle N.,
Temecula, CA, 92590
purblack.com

CERTIFICATE OF ANALYSIS

PÜRBLACK LIVE RESIN

Date reported: 14 May, 2025

Batch number: 00028

Product name: Vascular+

SAFETY ANALYSIS

HEAVY METALS:

ANALYTE	UNITS	NORM	RESULT	NORMATIVE DOCUMENTATION FOR THE TEST
Lead	PPM	≤ 1 PPM	COMPLIES	PB 3018000
Arsenic	PPM	≤ 0.1 PPM	COMPLIES	PB 3018000
Cadmium	PPM	≤ 0.1 PPM	COMPLIES	PB 3018000
Mercury	PPM	≤ 0.03 PPM	NOT DETECTED	PB 3018000

MICROBIOLOGICAL ANALYSIS:

ANALYTE	UNITS	NORM	RESULT	NORMATIVE DOCUMENTATION FOR THE TEST
Standard Plate Count	CFU/g	1*10**4	Less than 10	PB 10445.1000
Escherichia coli	CFU/g	0	Not found	PB 10445.1000
Pathogens incl. Salmonella	CFU/g	0	Not found	PB 10445.1000
Staphylococcus Aureus	CFU/g	0	Not found	PB 10445.1000

AUTHENTICITY ANALYSIS:

ANALYTE	UNITS	NORM	RESULT	NORMATIVE DOCUMENTATION FOR THE TEST
L-Arginine	%	22.58-23.72	23.10	PB 10444.2000
L-Glycine	%	19.32-20.50	19.90	PB 10444.2000
GABA	%	16.60-17.75	17.15	PB 10444.2000

L-Glutamine	%	13.28-14.42	13.85	PB 10444.2000
L-Leucine	%	5.75-6.88	6.30	PB 10444.2000
L-Lysine	%	5.52-6.68	6.10	PB 10444.2000
L-Asparagine	%	4.48-5.62	5.05	PB 10444.2000
Beta-Alanine	%	4.28-5.44	4.85	PB 10444.2000
AVN Peptide Complex*	%	3.15-4.22	3.70	PB 10444.2000

**All peptides in Pürblack's formulations are naturally sourced, targeted, non-synthetic, and short-chained.